

CHAPTER 1  
INTRODUCTION

1-1. Purpose. This regulation defines the policies and responsibilities of the United States Army Corps of Engineers (USACE), as they apply to personal property maintenance, and incorporates Department of the Army (DA) policies for general maintenance operations, commodity oriented maintenance, maintenance management, and contract maintenance support for personal property. This regulation sets policy and establishes responsibilities for the maintenance of military and civil personal property.

1-2. Applicability. This regulation applies to all HQUSACE elements, major subordinate commands (MSC), districts, laboratories, and field operating activities (FOA) except active duty units. **Note: This regulation does not apply to "real property or dredges."**

a. This regulation also applies to all self propelled, towed, or stationary self-powered personal property, excluding equipment specified in ER 56-2-1. At the minimum, all personal property with an acquisition value criteria of \$5,000.00 or more, including items used together to form a system with total acquisition value of \$5,000.00 or more, are subject to the full requirements and methods contained in this regulation.

b. This regulation also applies to all government furnished property, including that used at government owned, contractor operated (GOCO) projects. In accordance with the Federal Acquisition Regulation (FAR), section 45.102, contractors are required to furnish all property necessary to perform government contracts. However, there are times when it is in the best interest of the government to provide property to a contractor in performance of their contract. When this is the case, the Federal Acquisition Regulation (FAR), Defense Federal Acquisition Regulation Supplement (DFARS), and Army Federal Acquisition Regulation Supplement (AFARS) Subpart 45 (Government Property ) become the governing regulatory system for that property.

c. The requiring activity must contact the appropriate Contracting Officer and discuss the appropriate method and conditions required for providing government property in accordance with FAR, DFARS and AFARS Subpart 45. At this time the Statement of Work (SOW) should be discussed so the appropriate requirements will be included therein.

d. Some examples to consider are:

(1) If automated systems are provided, the SOW needs to state the requirements of the contractor. It should explain what is expected from the contractor, but not how to accomplish the requirement.

(2) If documenting and reporting is required, the SOW needs to state the requirements of the contractor. It should explain what is expected from the contractor, but not how to accomplish the requirement.

(3) If there is a different requirement for maintaining the property, than as listed in FAR, DFARS, or AFARS Subpart 45, then the specific requirement should be stated.

(4) If there are regulations that the contractor must have in order to comply with some requirements, those regulations must be provided and listed in an appendix of the contract. The SOW must indicate what the requirements

ER 750-1-1  
30 Jan 97

are. When the contractor is furnished GOCO equipment that requires maintenance actions, this regulation and EP 750-1-1 will be provided and cited in a contract appendix.

(5) The contracting officer will control government property IAW the FAR, DFARS and AFARS Subpart 45.

1-3. References. References are listed in Appendix A.

1-4. Exceptions. Requests to waive applications to any provisions of this regulation will be submitted through command channels to HQUSACE (CELD-MS), Washington, D.C. 20314-1000. The request for waiver will include:

a. A recommended alternative course of action.

b. An analysis that shows that the alternative course of action is the best solution under the circumstances.

1-5. Responsibilities.

a. Commander, USACE:

(1) Provide command-wide emphasis to the materiel maintenance management program.

(2) Emphasize the importance of maintenance and ensure that commanders at all levels are accountable for the execution of the maintenance program and operations.

b. Director, Logistics Management, HQUSACE:

(1) Develop concepts, policies, doctrine, and plans for the maintenance of personal property.

(2) Develop and distribute implementing instructions to assist commanders in complying with this regulation.

(3) Conduct periodic inspections and staff visits, as appropriate, to determine the adequacy of command maintenance operations, document deficiencies, and recommend corrective action.

c. Commanders:

(1) Provide local command emphasis to the Materiel Maintenance Management Program.

(2) Ensure sufficient resources are dedicated to the Materiel Maintenance Management Program.

(3) Ensure the maintenance operations at all levels within their command are properly staffed and supervised.

(4) Appoints a qualified maintenance officer in writing, to manage the materiel maintenance program, as his or her primary duty.

d. Chief, Logistics Management Office:

(1) Implement HQUSACE guidance and standards and advise HQUSACE of major changes necessary to improve the maintenance policies of the Corps.

(2) Assure compliance with the materiel maintenance standards and maintenance related logistic performance standards.

(3) Develop policies and procedures as necessary to implement the District Materiel Maintenance Program.

(4) Assist supervisors in implementing policies and procedures for the Materiel Maintenance Program.

(5) Ensures that equipment disposal inspection are completed.

e. Maintenance Officers: (Refer to Table 1-1, EP 750-1-1).

(1) Monitor the maintenance programs and advises the Chief of Logistics Management of changes necessary to improve local maintenance policies and procedures.

(2) Assure that materiel maintenance standards are being complied with.

(3) Assist local supervisors in implementing the policies and procedures for the materiel maintenance program.

(4) Appointed in writing as the Oil Analysis Program (AOP) monitor, who will:

(a) Provide management guidance, technical supervision and assistance activities affiliated with your division, district, etc.

(b) Assure that all activities participate in an OAP program.

(c) Recommend systems for inclusion in the OAP and sampling intervals for systems.

(5) Appointed in writing as the Test, Measurement, and Diagnostic Equipment (TMDE) Coordinator, responsible to develop a TMDE program which will ensure compliance with the maintenance plan, regulations, manuals, and bulletins in order to reinforce maintenance discipline.

(6) Manage the activity's warranty program to include all matters related to warranty claim actions (WCA).

(7) Conduct annual site visits and prepare written evaluations, and reviews the Materiel Maintenance Program within the district. Annual evaluation will be sent through the Chief, LMO, to the activity commander.

(8) Develop and implement the maintenance plan with annual reviews and changes posted as needed.

f. Maintenance Managers:

ER 750-1-1  
30 Jan 97

(1) Assure that scheduled and unscheduled maintenance of all personal property is performed expeditiously and by the most economical means.

(2) Oversee Maintenance Coordinators functions within their activity.

(3) Identifies maintenance requirements.

(4) Prepare and implement the activity's maintenance sub-plans.

(5) Determine resources and personal property specific requirements.

(6) Monitor personal property performance and evaluates maintenance program.

(7) Assure all maintenance programs are executed.

g. Maintenance Coordinators: (Refer to Table 1-1, EP 750-1-1).

(1) Assure that maintenance data are maintained and transferred to permanent records.

(2) Are responsible for tracking and complying with warranty requirement.

(3) Are responsible for dispatching functions.

(4) Assure that scheduled and unscheduled maintenance is performed.

(5) Are responsible for upward reporting requirements through maintenance channels.

(6) Are responsible for the maintenance of specific item(s) of personal property or for groups of personal property.

(7) Receive Preventive Maintenance Checks and Services (PMCS) and determines if personal property is operational and safe for use.

(8) Maintain operator/utilization records.

CHAPTER 2  
MAINTENANCE POLICIES AND STRUCTURE

2-1. General Maintenance Policies.

a. Proper use, care, handling, and conservation of materiel (personal property) in accordance with public law is mandatory. The USACE Maintenance Program will be overseen in the Logistics Management Office and executed by assigned functional area. The following descending order of precedence will apply to all maintenance policies: Federal, Department of Defense, Department of the Army, and Engineer Regulations. When there is a conflict between any two regulations, the higher precedence will apply. If the conflict is between two regulations on the same level of precedence, HQUSACE will determine which has precedence.

b. The commander will appoint an individual in Logistics, in writing, as the maintenance officer to oversee the command's Materiel Maintenance Program. This appointment will be made at all division, district, laboratory and field operating activities.

c. Functional managers at all USACE activities are encouraged to cease spending for acquisition of development of nonstandard automated equipment management system when one exists elsewhere in the Corps, Army, or Government that meets the needs. Before starting major development efforts, field commanders will coordinate with the appropriate headquarters functional manager.

d. Maintenance managers will be appointed in writing (with the concurrence of the appropriate function division chief) at all activities requiring maintenance. The maintenance manager will maintain a consolidated list of all equipment and the maintenance coordinator assigned to support it.

(1) All USACE activities will establish a maintenance "History Jacket" file for each item of equipment assigned or attached.

(2) Maintenance managers assure the collection and recording of cost of parts, labor and contracts for each piece of personal property.

(3) Methods listed in EP 750-1-1 will be used to document maintenance actions.

e. Maintenance coordinators will be designated in the maintenance plan at all activities requiring maintenance.

2-2. The Maintenance System. Maintenance of personal property will be sustained at a level to assure responsiveness to mission requirements and readiness, as described in EP 750-1-1 and as specified in maintenance manuals and the local maintenance plan.

2-3. Equipment Training and Licensing. Equipment training and licensing in all USACE activities is mandatory. Commanders and/or directors are responsible for ensuring a comprehensive training and licensing program is established, maintained and executed in accordance with AR 600-55 and EM 385-1-1.

2-4. Maintenance Assistance and Instruction Team (MAIT). Department of the Army has developed a maintenance and instruction program at the

ER 750-1-1  
30 Jan 97

decentralized level. Corps activities may request assistance from the MAIT by contacting the Directorate of Logistics (DOL) of the nearest Army installation and request the support needed (reimbursement may be required). Usually, a MAIT is in place at most Army installations to support the active Army.

2-5. Materiel Maintenance Management Business Process. Appendix C is an outline of the maintenance management business processes required for Corps of Engineers activities, with suggested forms and media, plus related references in parenthesis.

CHAPTER 3  
MAINTENANCE OPERATIONS

3-1. General. To ensure the most cost-effective use of maintenance resources, the economic repairability of unserviceable personal property will be determined prior to the initiation of any action to restore the personal property to a serviceable condition.

3-2. Personal Property Evaluations.

a. Unserviceable personal property, or personal property needing expensive repairs will be evaluated using equipment maintenance and serviceability standards. This evaluation may be used to determine if the unserviceable condition is the result of other than fair wear and tear. When the determination is made to repair or replace this item, a DA Form 3953 (Purchase Request and Commitment) will be submitted to include a justification statement supporting the decision.

b. When the evaluation is in conjunction with a Report of Survey and the actual cost cannot be determined, an itemized listing of the Estimated Cost of Damages (ECOD) will be included. Instructions for preparing an ECOD are found in DA PAM 738-750.

c. Equipment evaluations should become part of the history jacket.

3-3. Controlled Exchange. Controlled exchange is authorized only when it meets the criteria below and is approved in writing (including electronic mail or similar means), by the commander or designated representative of the organization performing the controlled exchange action.

a. Required serviceable parts, components and assemblies cannot be obtained through repairable exchange, maintenance (repair and return), or supply channels in time to meet mission requirements. The maintenance officer must ensure that a valid request has been submitted to replace the unserviceable item prior to using controlled exchange procedures.

b. All the unserviceable, repairable materiel involved is owned or under control of the activity performing the controlled exchange action.

c. The maintenance effort required to restore all the unserviceable, repairable personal property to a full mission capable condition is within the capability of the activity performing the controlled exchange.

d. The action will immediately restore the unserviceable, repairable materiel involved to a fully operable condition.

e. Such action will not degrade any of the materiel involved to an uneconomically repairable condition.

f. Actions are immediately taken to prevent further degrading of materiel from weather or other adverse conditions. The activity performing the controlled exchange will take prompt action to restore the unserviceable materiel to a fully capable condition.

g. Approved in writing (including electronic mail or similar means) by

the commander or designated representative of the organization performing the controlled exchange action.

h. Controlled exchange is only authorized to be performed by internal maintenance personnel. Materiel from controlled exchange will not be provided when the equipment is at contract maintenance or other outside activities.

3-4. Materiel Records and Reports. Materiel records and reports for maintenance management will be prepared and maintained as prescribed in EP 750-1-1. These maintenance forms should be phased in over a 6-month period of time beginning on the effective publish date of this regulation. See your activity publications officer for ordering information.

3-5. Contract Maintenance. USACE activities may use competitive private enterprise for maintenance support consistent with effective and efficient accomplishment of USACE programs and missions. Contract maintenance will not be used when:

a. Contract maintenance support will result in higher cost than the support provided by the Army, DOD and other Federal agencies within a reasonable vicinity and time constraints. The commander is responsible for determining the distance ("reasonable vicinity") and time constraints based on mission needs and a location survey of available resources.

b. The use of contract maintenance transfers the management responsibility outside the activity requesting support.

3-6. Interservice and Intraservice Maintenance Support.

a. Interservice and intraservice support agreements will be used to provide maintenance support services when:

(1) This means is the least costly to the government.

(2) Materiel to be supported is common to another service.

(3) The supporting agency or component has the available capability to render timely support.

b. Interservice and intraservice support agreements will not be used to document transfer of responsibility for the maintenance function from one DOD activity to another.

3-7. Materiel Warranty Program. Materiel under warranty will be identified and maintained in accordance with terms of the warranty, and records will be maintained by the maintenance officer or designated representative.

a. As a minimum, maintenance procedures recommended by the equipment manufacturer will be scheduled, and performed throughout the equipment's warranty program.

b. Military standard equipment under warranty will follow the procedures outlined in  
EP 750-1-1 and DA PAM 738-750.

3-8. Duplicate Facilities. When additional facilities are needed to support maintenance operations, with the exception of personnel, local DOD activities



and Federal agency will be surveyed to verify whether they have additional capability prior to referring this issue to HQUSACE (CELD-MS).

3-9. Oil Analysis Program (OAP). The objectives of an OAP are to improve readiness rates, promote safety, detect impending component failure and conserve lubricating and hydraulic fluids by applying on-condition oil changes (OCOC). An OAP that uses OCOC is mandatory for all USACE activities.

a. On-condition oil change. An oil change directed by the Army Oil Analysis Program laboratory as a result of finding relative to the condition of the oil and its lubricating capability.

b. Army Oil Analysis Program (AOAP) Participation. Participation in the AOAP is mandatory for equipment listed in Tables 4-2 thru 4-7 of DA PAM 738-750.

c. Equipment meeting the following criteria must be enrolled in a commercial OAP or the AOAP:

(1) A diesel engine with an oil capacity of five gallons and over.

(2) Automatic transmission/gearbox, meeting criteria in paragraph 3-9a, above.

(3) Hydraulic system over five gallons, excluding brakes, meeting criteria in 3-9a, above.

(4) All watercraft engines, main and auxiliary, meeting criteria in 3-9a, above.

(5) **NOTE:**

(a) Auxiliary engines are those engines on a watercraft which are used for propulsion.

(b) No gasoline engines or manual transmissions may be enrolled.

(c) Automatic transmissions and hydraulics cannot be enrolled in the AOAP unless the equipment engine is enrolled.

d. Real property that meets the criteria of Phase II above, may be enrolled in the OAP.

e. HQUSACE (CELD-MS) will:

(1) Develop policy pertaining to the OAP.

(2) Exercise program management over the OAP.

(3) Ensure the AOAP is coordinated with the U.S. Army Logistics Support Activity.

(4) Established a requirements list for items to be enrolled in the OAP.

f. MSC commander will:

- (1) Recommend items for inclusion in the AOAP.
- (2) Provide management guidance, technical supervision and assistance to all activities within their command.
- (3) Ensure all activities within their command participate in an OAP.
- (4) Have an OAP monitor appointed in writing.

g. The following policies apply to the AOAP:

(1) The AOAP is mandatory at all levels of maintenance operations for specified personal property, including overhaul for quality assurance purposes.

(2) The AOAP will be executed between the laboratory and the user activity.

(3) The lubricating and hydraulic oils from all components enrolled in the program will be evaluated by the servicing AOAP laboratories. Intervals are specified in DA PAM 738-750, chapter 4, or upon notification by the servicing AOAP laboratory.

(4) Upon receipt of a DA Form 3254-R (Oil Analysis, Recommendation, and Feedback) issued by the AOAP laboratory, the activity commander will place the equipment in a nonmission capable maintenance status until the maintenance action is completed.

(5) All activities and levels of command will have an AOAP monitor who is adequately trained by the supporting lab or installation AOAP monitor.

(6) Each AOAP laboratory will provide oil analysis support per applicable publications and supplemental guidance provided by the program director.

h. Detailed operating procedure for the AOAP are contained in DA PAM 738-750, chapter 4.

3-10. Administrative Storage of Materiel. Administrative storage is the placement of materiel in a limited care and preservation status for short periods of time.

a. Administrative storage will be considered when:

(1) An activity lacks operating funds, people and other resources, or normal usage of its equipment is not adequate to sustain materiel readiness.

(2) Lack of maintenance resources causes an activity to be incapable of performing the required routine maintenance of its personal property.

(3) Equipment that exceeds the activity's capability to operate or maintain but is required to be retained for contingency or other valid reasons as determined by the commander.

(4) Completion of current mission does not require the use of authorized personal property on a routine basis (seasonal).

(5) Before the decision to use administrative storage, the commander

will consider all workable options for maintaining personal property readiness.

b. Commanders/directors may authorize the administrative storage of their personal property within guidance furnished by this regulation. To maximum extent practical, administrative storage of personal property will be controlled and supervised at district/laboratory level or above.

c. Commanders/directors will:

(1) Furnish assistance as required in carrying out an administrative storage program.

(2) Monitor the condition of materiel in administrative storage in their commands.

(3) Conduct a command level review of administrative storage at least every 6 months to determine the need and effectiveness of the program.

d. When more than 15 percent of an organizations on-hand equipment must be placed in administrative storage, the commander/director will consider initiating action to reorganize the activity at a level of equipment authorization that can be operated and maintained.

e. Equipment in administrative storage will have all major subsystems exercised as directed by applicable owners manual. Any faults detected will be corrected. The personal property will then be completely reprocessed if it is to be returned to administrative storage.

f. All regularly scheduled preventive maintenance services are suspended while materiel is in administrative storage. Before personal property is placed in administrative storage, all operator maintenance must be completed.

g. Special scheduled services, inspections, maintenance standards and procedures, or other evaluations prescribed in applicable materiel operators manuals will be followed. Performance of the services is the responsibility of the activity storing the materiel. Faults noted during these required services, inspections and evaluations are corrected as quickly as practicable.

h. Equipment will be rotated per a rotational plan that will keep it exercised and reduce maintenance effort.

i. Equipment will be stored to provide maximum protection from the elements, to provide access for inspection, maintenance, and exercising, and to provide physical separation from active personal property.

j. The access to materiel in administrative storage will be strictly controlled to prevent cannibalization of pilferage.

3-11. Calibrations Programs. The use and care of test, measurement and diagnostic equipment within USACE is extremely important. Commanders at all levels will ensure a calibrations program is used to the maximum extent possible. AR 750-43 and TB 43-180 outline the policies and procedures to be followed if the Army's program is used. The equipment that is covered by this program are items used to troubleshoot and repair other items, i.e.,

ER 750-1-1  
30 Jan 97

multimeters, torque wrenches, gauges, etc. It can be used for, but is not solely intended for, laboratory equipment. The program is item-specific and the use of other calibration sources is allowed for Corps equipment.

### 3-12. Cannibalization of Materiel.

a. Cannibalization is the authorized removal of components from materiel designated for disposal. Cannibalization supplements supply operations providing assets not immediately available through the supply system. Degradation of resale value should be considered prior to the determination to use cannibalization.

b. Materiel awaiting disposition will not be cannibalized. Parts will only be removed after the end item is accepted into a cannibalization point and with the approval of the accountable officer.

c. Policies and procedures for the establishment and operation of cannibalization points are contained in AR 710-2, DA PAM 710-2-2 and ER 700-1-1.

### 3-13. Maintenance of Pneumatic Tires.

a. Public Law 99-272 requires all government agencies to use and procure retread tires to the maximum extent possible. The following paragraphs address the basic policy pertaining to retread tires.

(1) Command emphasis is required at all levels to obtain maximum safety, savings and environmental benefits from the use of retread tires.

(2) Surveillance procedures will be established to ensure that all repairable vehicle and equipment tires are recovered prior to the end of their useful life.

(3) Repairable tires will be retreaded, not discarded or processed through Defense Reutilization and Marketing Office (DRMO), unless classified not repairable/not economically repairable by qualified technical inspectors. Repairable tires will not be given or sold to commercial vendors for disposal.

(4) Except for the restrictions listed below, or as approved by waiver from HQUSACE (CELD-MS), all activities will use retread tires in accordance with Public Law 99-272.

(a) Two-ply tires, without breaker strips or belts will not be retreaded.

(b) All buses and passenger vans with an occupancy capacity of 15 personnel or more will not be operated with retread tires on the steering axles.

(c) M520 truck series and M747 (or equivalent) semitrailers will not be operated with retread tires.

(d) All 10-ton and above, truck tractors will not be operated with retread tires on the steering axles.

(e) All emergency vehicles (i.e., fire trucks, police/ranger vehicle, etc.) will not be operated with retread tires on the steering axles.

(f) All activities will comply with Federal, state or local codes that prohibit the use of retreads.

(5) Regrooving of tires is not permitted because it is not structurally viable or cost-effective.

b. Responsibilities of all commanders/directors are:

(1) Obtain the most cost-efficient use of the retread tire program and maximize safety during pneumatic tire maintenance.

(2) Maximize the use of training courses dealing with pneumatic tires.

(3) Ensure thorough inspections of pneumatic tires mounted on vehicles and equipment during PMCS and their removal when tread depth reaches the dimension for retreading.

(4) Ensure all maintenance personnel are in compliance with TM 9-2610-200-24, TM 9-2610-201-14, and applicable OSHA regulations.

(5) Assuring that qualified personnel are available to inspect and classify tires prior to turn-in for retreading or for disposal and to perform acceptance inspections upon receipt of retread tires.

c. Quality of retread tires. Retreading can be performed several times as long as the casing is removed from the vehicle/equipment before damage occurs. Activities and stock record accounts will ensure retread tires are inspected for quality of workmanship upon receipt. If deficiencies in quality or workmanship are noted, the inspector will initiate a Quality Deficiency Report/ Equipment Improvement Recommendation (QDR/EIR) to the applicable command.

d. Training. All commanders will ensure that training is provided to personnel who service single-piece or multi-piece rims and wheels. Records will be maintained documenting this training.

e. Warranties. Tires repaired or retreaded by General Services Administration contractor or local commercial sources are guaranteed against defects for the tread life of the tire. Defective tires will be returned to the contractor for repair or adjustment. Defective tires rebuilt by government facilities will be retained as exhibits and reported for disposition.

f. Mixing of radial and bias ply tires is not permitted. Mixing of radial and bias ply tires can result in the loss of steering control, inadequate vehicle handling and/or mechanical damage. Radial tires should always be used in sets. The term "sets" means all tires on the vehicle including the spare.

### 3-14. Maintenance Expenditure Limits (MEL).

a. The MEL is a total allowable one-time cost to restore an end item, major component or repairable component to a fully serviceable condition.

b. MELs will be used to ensure economic and operational effectiveness of USACE maintenance. Required repairs will not be broken into separate job estimates to bypass prescribed MELs.

ER 750-1-1  
30 Jan 97

c. MELs for Revolving Fund and Project Fund owned equipment are contained in ER 1125-2-301. MELs for Administrative Use Vehicles are contained in ER 56-2-1. Department of the Army has published MELs for military standard equipment in the Technical Bulletin (TB) series 43-0002. MELs for office machines, furniture and materials handling equipment is contained in CFR Title 41. Equipment not covered by any of the above publications will have a MEL assigned locally. This process will take place within 30 days of item being posted to the property book. Life expectancy, depreciation, uniqueness, repair parts and labor costs are some of the items to consider when establishing the MEL. The MEL can be expressed by either a dollar amount or by percentage and will be reviewed and updated annually. Document the MEL in the equipment maintenance records.

d. Request for permission to exceed the MEL cited in publications above should be made to authorities cited in the publication. Permission approvals should be in writing. Permission to exceed locally assigned MEL (only for items not covered in publications) must be in writing and signed by the District Commander or equivalent, for separate operating activities.

CHAPTER 4  
COMMODITY - ORIENTED MAINTENANCE POLICIES

4-1. Maintenance of Watercraft and Amphibians.

a. Purpose. To establish policies which are specific to the maintenance of Corps watercraft.

b. Objective. The objective of watercraft maintenance is to ensure safe, seaworthy, reliable, and fully capable watercraft.

c. Scope. This section applies to all Corps watercraft and amphibians worldwide.

(1) Watercraft and amphibians are defined in EP 750-1-1, para. 7-1a., and DA PAM 738-750.

(2) To accomplish the objectives of watercraft maintenance, tasks are distinctly organized into wholesale and retail maintenance. Each is responsible for the performance and management of its materiel maintenance functions. This responsibility is established in regulatory and maintenance publications.

(3) Wholesale maintenance is that maintenance which is beyond the capability of the operating activity and is commonly referred to as depot level maintenance. Specifically, wholesale maintenance is defined as that level of maintenance requiring the necessary personnel, skills, facilities and equipment to perform industrial type maintenance functions.

(4) Retail maintenance is that maintenance which is within the capability of and is the responsibility of the operating activity. The responsibility to perform retail maintenance operations within a given level is assigned based on mission, degree of complexity, availability of personnel, skills and materiel resources. Actual maintenance tasks to be performed are listed in applicable maintenance manuals.

d. General Maintenance Policies.

(1) Emergency repairs. A thorough marine condition survey/technical inspection will be performed by qualified personnel to ascertain the scope of work necessary to return a watercraft to a serviceable condition.

When emergency repairs dictate that a watercraft be dry docked to accomplish the necessary repairs, it will be considered wholesale maintenance. When this condition exists, suitable repairs may be accomplished to correct the emergency. However, personal property so repaired must be removed from operation as soon as possible and properly repaired before being returned to an operational condition.

(2) Watercraft awaiting disposition instructions will be maintained in administrative storage.

(3) When engaged in operations (underway/deployed) and maintenance problems occur where normal corrective action can not be completed, a vessel master is authorized to perform any level of maintenance required to maintain the watercraft in a seaworthy, safe and operable condition. This decision shall be made while considering the availability of resources, the skill of

the crew, and the impact the repairs will or will not have on the basic seaworthiness and operability of the watercraft.

(4) This policy also applies to electronic equipment installed on-board watercraft.

e. On-Condition Cycle Maintenance (OCCM). All watercraft will undergo OCCM in accordance with the intervals established in Table 4-1. The intervals in Table 4-1 are the maximum time intervals. If more than 3 months deviation is anticipated, a request for waiver with justification will be sent to the district commander. OCCM consists of a series of inspections and maintenance actions which are designed to assure that a watercraft's structure (internal and external), piping, main and auxiliary engines, electrical installations, life-saving appliances, fire detecting and extinguishing equipment, pollution prevention equipment, and other equipment/systems are maintained in a suitable, seaworthy and safe condition.

f. Inspections. Marine condition surveys incident to the performance of OCCM will be accomplished in accordance with the following paragraph.

(1) One hundred eighty days prior to the scheduled OCCM, a marine condition survey will be performed. This survey will provide the basis for written specifications by which OCCM will be accomplished. This will be a dock side inspection. When possible, the services of qualified divers will be utilized to ascertain the condition of the watercraft's hull and appendages below the deep load waterline.

(2) At the time of dry-docking, if required, a dry-dock inspection will be performed to identify additional repair/maintenance requirements not observable at the time of the 180-day inspection (dockside).

(3) Periodic surveys required by the United States Coast Guard (USCG) and the American Bureau of Shipping (ABS) for retention of loadline certification will be accomplished in accordance with 46 CFR subchapter E and TB 55-1900-201-45/1. When such inspections are required, the service of ABS will be employed.

(4) In addition to the marine condition survey, an interim survey after 50% of the OCCM/dry-docking time has elapsed will be conducted. Whenever possible, this survey will also include an underwater hull survey as defined by TB 55-1900-201-45/1.

g. Maintenance. The scope of work to be accomplished during OCCM will vary dependent on watercraft conditions, resource limitations, class of vessel and other factors. As a minimum, the following maintenance and repair actions will be accomplished during OCCM if the inspection so indicates:

(1) Bottom cleaning and painting up to the deep load waterline.

(2) All repairs below the deep load waterline as identified during the dry-dock inspection/underwater hull survey.

(3) Overhaul/replacement/renewal of all major components identified for overhaul at the depot level. The requirements will be determined through diagnostic testing, hours of operation, and inspection of internal parts.

(4) All other maintenance and/or repairs identified by the marine/ship



surveyor required to effect a permanent change in the watercraft's condition so as to assure the following:

(a) Capability of operating in an unrestricted manner for the purpose intended.

(b) Capability of being maintained and operated in accordance with all applicable regulations, rules, laws, and policies.

(c) The sustainment of the inherent reliability and maintainability designed and manufactured into the equipment between repair cycles (OCCM).

(d) The sustainment of acceptable rates of readiness between OCCM cycles.

(e) Application of all outstanding Modification Work Orders (MWO), minor alterations, modernization and/or special inspections will, to the maximum extent feasible, be accomplished concurrently with OCCM.

h. Marine Condition Surveys. Marine condition surveys are technical inspections and written evaluations performed by qualified marine surveyors in accordance with TB 55-1900-201-45/1 and other applicable publications.

(1) Marine condition surveys on watercraft shall only be performed by experienced and qualified technical experts. This requires the surveyor to be thoroughly familiar and capable of interpreting written standards, Federal laws, rules and regulations affecting watercraft inspections, common watercraft construction, and maintenance and repair procedures. The marine surveyor must also be capable of preparing written repair specifications and estimating repair costs (man-hour and personal property costs).

(2) When qualified marine surveyors are not available, assistance may be requested through command channels to HQUSACE, ATTN: CECW-OD.

i. Maintenance Reporting. Forms and records on watercraft and amphibians will be completed according to DA PAM 738-750, TB 43-0002-26, TB 55-1900-205-24 and TB 55-1900-201-45/1.

j. On-Condition Cycle Maintenance. Table 4-1 is a list of the proposed Corps dry dock intervals, compared to the required Coast Guard intervals. Based on periodic marine surveys, dry docking intervals may be extended for freshwater vessels, and the extended intervals must be fully documented and justified in accordance with paragraph 7-3c of EP 750-1-1.

k. In some cases, the Corps would be required to dry-dock more often than the proposed intervals if the Coast Guard standards are adapted. However, in other cases, particularly with double hull vessels, the dry-docking intervals can be greatly extended. The Corps has been designing and building newer double hull tank barges, so using the Coast Guard intervals would be an opportunity to take advantage of the increased savings available to these types of vessels. Other advantages for adopting the Coast Guard dry-docking schedules are the general acceptance of the American Bureau of Shipping to the Coast Guard intervals, and the decreased liability of adopting the industry schedule of maintenance in the event of a mishap or oil spill.

4-2. Maintenance of Aircraft and Aviation Electronics (AVIONICS). The object

ER 750-1-1  
30 Jan 97

of USACE aviation maintenance is to ensure safe and reliable aviation systems. Aviation systems maintenance will be accomplished in accordance with Army regulations and applicable Federal Aviation Administration (FAA) requirements. Contracted maintenance agreements will be reviewed by the aviation manager.

**Table 4-1**

**Dry docking Intervals (In Months)**

| Corps Recommendations |             | Vessel Class | Coast Guard Requirement              |  |
|-----------------------|-------------|--------------|--------------------------------------|--|
| Salt Water            | Fresh Water |              | Salt Water                           | Fresh Water                            |
| 36                    | 60          | Class A(I)   | 30                                   | 60                                     |
| 36                    | 60          | Class B(T)   | 18<br>36 (1)                         | 60                                     |
| 36                    | 60          | Class C1(I)  | s/h(2) 30<br>d/h(3) 60               | s/h(2) 60<br>d/h(3) 120                |
| 38                    | 60          | Class C1(H)  | 30<br>18 (4)                         | 60                                     |
| 48                    | 60          | Class C2(I)  | s/h(2) 30<br>d/h(3) 60<br>udcb(5) 60 | s/h(2) 60<br>d/h(3) 120<br>udcb(5) 120 |
| 36-48                 | 60          | Class C3(D)  | s/h(2) 30<br>d/h(3) 60               | s/h(2) 20<br>d/h(3) 120                |

(1) time interval extended if vessel spends more than 6 months but less than twelve months during the year in fresh water.

(2) s/h = single hull vessel.

(3) d/h = double hull vessel.

(4) time interval is lessened if vessel is greater than 20 years old.

(5) udcb = unmanned deck cargo barge.

**Note:** The letter in parenthesis next to the vessel classification is the letter of the subchapter in 46 CFR for that particular vessel.

4-3. Maintenance of Communication Systems. The maintenance of fixed and other communication systems is covered in AR 25-1, AR 25-11, and DA PAM 25-1-1. Assistance with maintenance policies and procedures can be obtained by contacting HQUSACE (CEIM-P).

4-4. Maintenance of Communication Security (COMSEC) Materiel and Controlled Cryptographic Items (CCI). The maintenance of COMSEC and CCI materiel is covered in AR 25-12, DA PAM 25-16, and TM 11- 5810-310-23&P. Assistance with policies and procedures can be obtained by contacting HQUSACE (CEIM-P).

4-5. Maintenance of Federal Information Processing (FIP) Equipment. The maintenance of FIP equipment (formally ADPE) is covered by the Federal Acquisition Regulations (FAR), Federal Information Resources Management Regulations (FIRMR), AR 25-1, AR 25-3, DA PAM 25-4, DA PAM 25-6, and DA PAM 25-6-1. Assistance with policies and procedures can be obtained by contacting HQUSACE (CEIM-L).

4-6. Maintenance of Commercial Design Vehicles. The maintenance policies in DOD 4500.36R, ER 56-2-1 and the maintenance procedures in TM 38-600 apply to commercial design nontactical vehicles. In general, these policies limit maintenance operations performed on these type vehicles to inspections, services, and replacement of minor components and assemblies. Rebuild maintenance of end items or major components is not authorized.

4-7. Maintenance of Engineer, Special Purpose (SP) and Materiel Handling Equipment (MHE). Maintenance will be accomplished on Engineer, SP and MHE as prescribed in this regulation, DA PAM 738-750, applicable TMs and equipment manuals. As much maintenance as possible will be conducted during the service interval. Standard maintenance management policies set forth in the above cited regulations will be followed at all times. Waivers to any part of the regulations must be approved in writing by the division commander prior to implementation. Examples of each type are provided below:

a. Engineer Equipment

(1) Cranes

(2) Rollers/Compactors

(3) Loaders

(4) Scrapers

(5) Graders

(6) Bulldozers

b. Special Purpose Equipment (SPE)

(1) Generators

(2) Pumps

(3) Low Bed Trailers

(4) Refuse Trucks

(5) Drill Rigs

(6) Dump Trucks

c. Materiel Handling Equipment (MHE)

(1) Forklifts

(2) Warehouse Tractors



## CHAPTER 5 EQUIPMENT MANAGEMENT

5-1. Maintenance Management Indicators. To effectively measure the performance of maintenance management, each USACE activity will use maintenance indicators. Three of the most common and effective indicators are the tracking of equipment usage, equipment maintenance costs, and equipment operational rates. The importance of accurate data documentation cannot be over stressed. Commanders and managers rely on this type data to measure and improve the effectiveness of the materiel maintenance program in the Corps. Taken collectively, these indicators provide materiel maintenance managers the required tools to perform effective, efficient, and comprehensive life cycle materiel maintenance management activities. The goal of our efforts is to field, operate, maintain, and sustain the range and depth of equipment adequate to perform our missions at the lowest life cycle cost of ownership.

5-2. Equipment Usage Standards. This section explains how personal property usage standards can be used as part of an overall personal property management program. Table 5-1 (herein) and Appendix B, Table B-2, EP 750-1-1, are lists of USACE equipment that requires usage reporting and Table B-3 shows usage standards for selected equipment. Equipment that is exempt from usage reporting in USACE is shown in Table B-4 of the cited EP and Table 5-2 (herein).

a. General. Please note that objective and minimum usage standards are listed in the EP. Minimum standards were established as ones that should be attainable for general purpose assignment and normal use of equipment. When individual equipment items within a category are not attaining the minimum usage, the whole category should be reviewed by the using activity, with a view toward equalizing use through rotation, asset pooling, or other management actions. Assets and/or authorizations should be reduced when indicated by the review.

b. Basis for Computation. Army usage standards are generally expressed in terms of hours, days, or times used. Chapter 9 of EP 750-1-1, shows how usage standards are computed.

c. General Use Equipment. ER 700-1-1, Chapter 3, Section IV, Equipment Usage Management, provides general USACE policy that governs personal property usage management and explains why documenting historical usage data is important. EP 750-1-1, also gives details on how this data should be collected and reported.

### 5-3. Maintenance Costs (Parts & Labor)

a. This section explains how life cycle costing techniques can serve to indicate how effective an equipment management program is. A goal of a good program would be to provide historical records of maintenance costs, parts and labor, associated with personal property usage.

Access to this information can help us improve future equipment acquisitions and management decisions.

b. Life cycle costing attempts to identify projected personal property related expenditures, using the acquisition to retirement approach. Its focus considers maintenance costs from the time of initial equipment acquisition, until equipment is retired and disposed of. Command emphasis on the importance of keeping accurate cost documentation is necessary for success in using life cycle cost projections and historical cost data to efficiently manage our materiel maintenance program.

c. All personal property reaches a time in its service life when it becomes more of a liability than an asset. When the cost to maintain personal property reaches a pre-established level or when the property has mission crippling inoperative patterns, it is probably time to replace it.

d. USACE activities should document maintenance costs using the methods described in EP 750-1-1 for scheduled and corrective maintenance. In each case the costs for labor, parts, and those associated with maintenance contracts will be recorded.

5-4. Equipment Operational Rates. Operational rates can be a helpful indicator for maintenance management. The rates are mathematical expressions of equipment up time versus down time. Chapter 9, EP 750-1-1, lists equipment categories suggested for operational rates tracking and gives the formula for computing rates.



TABLE 5-1  
EQUIPMENT REQUIRING UTILIZATION REPORTING

|    | Equipment Category Code | Nomenclature   | Federal Supply Class |
|----|-------------------------|--|----------------------|
| 1  | LE                      | Boat, Tow  | 1925                 |
| 2  | LE                      | Boat, Tug  | 1925                 |
| 3  | LG                      | Propelling Unit, (Outboard), 100 HP and Larger                 | 2010                 |
| 4  | LH                      | Crane, Barge Mounted   | 3950                 |
| 5  | LH                      | Derrick, Crane Barge   | 3950                 |
| 6  | NB                      | Distributor, Water, 1000 Gal and Above, Trk Mtd, Engine Driven | 3825                 |
| 7  | NB                      | Mixer, Concrete, Trailer Mounted                               | 3895                 |
| 8  | NB                      | Mixer, Concrete, Truck Mounted                                 | 3895                 |
| 9  | NC                      | Scraper, Earthmoving, Self Propelled                           | 3805                 |
| 10 | NC                      | Scraper, Earthmoving, self Propelled                           | 3805                 |
| 11 | ND                      | Tractor, Full Tracked, with Backhoe/Loader                     | 2430                 |
| 12 | ND                      | Tractor, Full Tracked, with Bulldozer,(High                    | 2430                 |

|    |    |   |      |
|----|----|---|------|
|    |    | Speed)  |      |
| 13 | ND | Tractor, Full Tracked, with Bulldozer, (Low Seed) | 2410 |
| 14 | ND | Tractor, Wheeled, Industrial, with Bulldozer      | 2420 |
| 15 | ND | Tractor, Wheeled, Industrial, with Backhoe/Loader | 2420 |
| 16 | ND | Tractor, Wheeled, Industrial, with Bulldozer      | 2420 |
| 17 | NE | Grader, Road Motorized (All)                      | 3805 |
| 18 | NF | Crane, Crawler Mtd                                | 3810 |
| 19 | NF | Crane, Truck Mtd                                  | 3810 |
| 20 | NF | Crane, Wheel Mtd                                  | 3810 |
| 21 | NF | Crane Shovel, Crawler Mounted                     | 3810 |
| 22 | NF | Crane Shovel, Truck Mounted                       | 3810 |
| 23 | NF | Excavator, Multi-Purpose, Crawler Mounted         | 3805 |
| 24 | NF | Excavator, Multi-Purpose, Truck Mounted           | 3805 |
| 25 | NG | Loader , Scoop, Engine Driven, Full Tracked       | 3805 |
| 26 | NG | Loader , Scoop,                                   | 3805 |

|    |    |  |      |
|----|----|--|------|
|    |    | Engine Driven, Wheel Mounted               |      |
| 27 | NH | Roller, Motorized, Engine Driven           | 3895 |
| 28 | NH | Roller, Vibratory, Self Propelled          | 3895 |
| 29 | NJ | Drill, Machine, Truck Mounted              | 3820 |
| 30 | NJ | Drill, Machine Truck Mounted               | 3820 |
| 31 | NJ | Truck, Well Drill Support                  | 3820 |
| 32 | NN | Truck, Concrete Mixer, CCE                 | 3895 |
| 33 | NN | Truck, Dump, CCE, 20T                      | 3805 |
| 34 | NV | Auger, Earth, Skid Mounted, Engine Driven  | 3820 |
| 35 | NV | Auger, Earth, Truck Mounted, Engine Driven | 3820 |
| 36 | NV | Compactor, Motorized (HS)                  | 3805 |
| 37 | NV | Ditching Machine, Engine Driven            | 3805 |
| 38 | NV | Hammer, Pile Driven Self Powered, (All)    | 3895 |
| 39 | NV | Sweeper, Rotary, Self Propelled            | 3825 |
| 40 | PA | Crane Truck,                               | 3810 |

|    |    |  |      |
|----|----|--|------|
|    |    | Warehouse, Electric  |      |
| 41 | PA | Crane Truck,<br>Warehouse, Engine<br>Driven                            | 3950 |
| 42 | PB | Truck, Forklift,<br>Electric, Lbs., and<br>Above                       | 3930 |
| 43 | PC | Truck, Forklift,<br>Gasoline Engine<br>Driven, 4000 Lbs.,<br>and Above | 3930 |
| 44 | PE | Tractor, Wheeled,<br>Warehouse, Electric                               | 3930 |
| 45 | PE | Tractor, Wheeled,<br>Warehouse, Engine<br>Driven                       | 3930 |
| 46 | PG | Truck, Forklift-Rough<br>Terrain                                       | 3930 |
| 47 | PI | Truck, Forklift, Diesel<br>Engine Driven                               | 3930 |
| 48 | QB | Generator Set, Skid<br>Mounted, 15 kw and<br>Above                     | 6115 |
| 49 | QB | Generator Set, Trailer<br>Mounted, 15 kw and<br>Above                  | 6115 |
| 50 | QB | Generator Set, Truck<br>Mounted, 15 kw and<br>Above                    | 6115 |
| 51 | QB | Generator Set, Wheel<br>Mounted, 15 kw and<br>Above                    | 6115 |
| 52 | QC | Compressor, Skid<br>Mounted, 125 CFM,                                  | 4310 |

|    |    |   |      |
|----|----|---|------|
|    |    | 100 psi and Above                                       |      |
| 53 | QC | Compressor, Trailer Mounted, 125 CFM, 100 psi and Above | 4310 |
| 54 | QC | Compressor, Truck Mounted, 125 CFM, 100 psi and Above   | 4310 |
| 55 | QC | Compressor, Wheel Mounted, 125 CFM, 100 psi and Above   | 4310 |
| 56 | QD | Pump, Centrifugal, Water, Engine Driven, Skid Mounted   | 4320 |
| 57 | QD | Pump, Reciprocating, Water, Engine Driven, Skid Mounted | 4320 |
| 58 | QG | Welding Machine, Skid Mounted                           | 3431 |
| 59 | QG | Welding Machine, Trailer Mounted                        | 3431 |
| 60 | QU | Truck, Fire Fighting Equipment Engine Driven (All)      | 4210 |
| 61 | QU | Pump, Fire Fighting Equipment Trailer Mounted           | 4210 |
| 62 | SY | Snowblower, Self Propelled                              | 3825 |
| 63 | SY | Snowblower, Truck Mounted                               | 3825 |

Table 5-2

## **USACE Equipment Exempt From Usage Reporting**

The following equipment categories are usually exempt from meeting usage tracking standards:

- a. Information Management Area Equipment. This is covered by the AR 25-series.
- b. Government furnished equipment (GFE). Contracts will include the requirement for the collection and recording of utilization data.
- c. Defense Industrial Plant Equipment Center (DIPEC) controlled equipment. Although DIPEC controlled, equipment is exempt from usage collection and reporting, walk-through procedures will be used to evaluate the need for it.
- d. Equipment used in direct support of a research, development, test, and evaluation mission (RDTE). This equipment is exempt from usage collection and reporting. Walk-through procedures will be used to evaluate the need for it.
- e. One of a kind equipment. The requirement for utilization data collection for one of a kind equipment is not required. "One of a kind," is defined as that "one and only specific type of equipment located at a project site. This does mean equipment that is a site specific.
- f. Common Tables of Allowance (CTA) equipment. Equipment authorized by CTA does not require collecting of utilization data. This means that low dollar valued items (e.g., typewriters, calculators, desks, fans, etc.) are exempt from collection of utilization data.
- g. Installed equipment (see glossary). Usage data collection for installed equipment such as generators, and compressors, which are part of a real property facility, is not required.
- h. Emergency equipment. Equipment required to be on hand for emergencies, such as generators, compressors, wreckers, ambulances, fire trucks, etc., does not require utilization data collection. Retention for such equipment will be based on documented justification.

**NOTE: ACTIVITIES ARE RESPONSIBLE FOR DOCUMENTING EQUIPMENT WHICH IS EXEMPTED FROM USAGE REPORTING. A MEMORANDUM FOR RECORD WILL BE KEPT ON FILE FOR THIS PURPOSE.**

## CHAPTER 6 MAINTENANCE PROGRAM

6-1. Maintenance Operations. Maintenance operations are those actions that ensure personal property is inspected regularly, dispatched properly, operated correctly, serviced as required, and ensures that faults are diagnosed and repaired as required.

6-2. Maintenance Plan. A maintenance plan will be developed by all divisions, districts, laboratories and field operating activities. This plan will enable commanders to achieve maximum efficiency through maintenance training and maintenance operations. In developing the maintenance plan, factors for considerations are listed in EP 750-1-1, chapter 2.

6-3. Scheduled Maintenance Services. Scheduled maintenance services are the cornerstones of the preventive maintenance (PM) program. They must be scheduled and performed within the allowed time frame. These services permit the maintenance supervisors to assure the correct accomplishment of all required maintenance. Therefore, all supervisors must place emphasis on the planning and executing of scheduled services. (The single most important factor for success of the maintenance program is the active participation of the functional area supervisor.) Other factors to consider while planning maintenance services are:

- a. Commanders, chiefs of logistics, maintenance officers and all supervisors are responsible for the effectiveness of the maintenance program.
- b. Tool sets, special tools and test equipment must be on hand, cared for, controlled, accounted for and used properly.
- c. Publications are vital for the execution of the maintenance program. They must be accessible to all personnel who perform supervise maintenance actions.
- d. Time management is essential to a good maintenance program. Supervisors must ensure that maintenance time is scheduled for all required maintenance actions.

6-4. Evaluations. Evaluations of the overall maintenance program are vital to the success of the maintenance mission and will be accomplished at each activity. Only detailed evaluations can identify the changes needed to maximize maintenance efficiency. As a minimum, written annual evaluations will be conducted and maintained by the logistics office.

6-5. Reviews. Maintenance management reviews should be established by division/district logistics chiefs to evaluate, assist, and correct the maintenance programs within their activity. Such reviews identify both good and bad maintenance practices.

6-6. Inspections. Maintenance inspections provide essential information to supervisors on their maintenance program. Inspections provide immediate feedback to supervisors at every level, and identify action at the lowest possible level. Inspections can range from informal spot-checks by the first line supervisor to formal inspections conducted by maintenance inspection teams. No matter what type of inspection is conducted, supervisors must monitor the results and take corrective action as necessary.

6-7. Repair Parts Management. Repair parts are essential to the success of any maintenance operation. Commanders will establish accurate accountability for all parts and show an audit trail from the time of requisition until they are used. Excess parts will be identified and turned in as soon as possible. GSA, DOD and other Federal agencies will be utilized to the maximum extent possible in the acquisition of parts and supplies. Only after these sources have been exhausted/determined unfeasible will local procurement be used. Requesting, receiving, stocking, issuing and the security of repair parts will be accomplished in accordance with AR 710- 2, DA PAM 710-2-1, and ER 700-1-1.

6-8. Safety. All personnel are responsible for safe operations. Anyone seeing an unsafe act will take the required actions to stop it. All work will be performed in accordance with the USACE Safety and Health Requirements Manual, EM 385-1-1.

6-9. Environmental Compliance. Public law 94-580 (Solid Waste Disposal Act), as amended, mandates compliance with environmental procedures and explains why they are essential. Every effort will be made to maximize compliance in USACE.

6-10. Security. Tools, repair parts, lubricants and maintenance facilities will be secured appropriately. Supervisors will ensure strict security procedures are followed in accordance with the AR 190 series publications.

FOR THE COMMANDER

4 Appendices  
(See Table of Contents)

//S//  
OTIS WILLIAMS  
Colonel, Corps of Engineers  
Chief of Staff



## APPENDIX A

### REFERENCES

(required)

|             |   |
|-------------|---|
|             | The Army Master Data File (AMDF)  |
|             | The Master Cross Reference List (MCRL)  |
| AR 25-1     | The Army Information Resources Management Program   |
| AR 25-3     | Life Cycle Management of Information Systems  |
| AR 25-11    | Record Communications and Privacy Communications Systems                                  |
| AR 25-12    | Communications Security Equipment   |
| AR 25-13    | The Department of the Army Equipment Authorization and Usage                              |
| AR 25-400-2 | The Modern Army Record Keeping System   |
| AR 58-1     | Management, Acquisition and Use of Administrative Use Motor                               |
| AR 190-13   | The Army Physical Security Program  |
| AR 380-5    | Department of the Army Information Security Program                                       |
| AR 385-10   | Army Safety Program   |
| AR 385-40   | Accident Reporting and Records  |
| AR 385-55   | Prevention of Motor Vehicle Accidents   |
| AR 420-83   | Maintenance and Services (M&S), Equipment and Facilities                                  |
|             | Engineering Shops   |
| AR 600-55   | Motor Vehicle Driver and Equipment Operator Selection, Training, Testing and Licensing    |
| AR 700-68   | Storage and Handling of Compressed Gases and Gas Cylinders                                |
| AR 700-138  | Army Logistics Readiness and Sustainability   |
| AR 710-2    | Supply Policy Below the Wholesale Level   |
| AR 735-5    | Policies and Procedures for Property Accountability                                       |
| AR 750-43   | Army Test, Measurement and Diagnostic Equipment Program                                   |
| AR 570-7    | Equipment Management: Equipment Survey Program  |
| AR 700-9    | Policies of the Army Logistics System   |
| AR 700-131  | Loan of Army Materiel   |
| AR 740-3    | Care of Supplies in Storage   |
| AR 750-2    | Army Materiel Maintenance, Wholesale Operations   |
| AR 750-10   | Modification of Materiel and Issuing Safety-of-Use Messages and Commercial Vehicle Safety |
| ER 25-1-2   | Life Cycle Management of Automated Information System (AIS)                               |

REFERENCES  
(related)

Public Law 99-272

|                     |   |
|---------------------|---|
| CFR Title 41        | Code of Federal Regulations   |
| CFR Title 44        | Code of Federal Regulations   |
| CFR Title 46        | Code of Federal Regulations   |
| CTA 50-900          | Clothing and Individual Equipment   |
| CTA 50-909          | Field and Garrison Furnishings and Equipment  |
| CTA 50-970          | Expendables/Durable Items (Except: Medical, Class V, Repair Parts and Heraldic Items) |
| DOD 4500.36         | Management, Acquisition and Use of Motor Vehicles                                     |
| DA PAM 25-1-1       | Installation Information Services   |
| DA PAM 25-4         | Information Systems Technical Documentation   |
| DA PAM 25-6         | Configuration Management for Automated Information Systems                            |
| DA PAM 25-6-1       | Army Acquisition Planning for Information Systems                                     |
| DA PAM 25-16        | Security Procedures for Secure Telephone Unit, Third Generation                       |
| DA PAM 710-2-1      | Using Unit Supply System  |
| DA PAM 710-2-2      | Supply Support Activity System Manual System  |
| DA PAM 738-750      | Functional Users Manual for the Army Maintenance Management                           |
| DA PAM 750-1        | Leader's Unit Level Maintenance Handbook  |
| EM 385-1-1          | Safety and Health Requirements Manual   |
| EP 750-1-1          | Procedural Pamphlet for Materiel Maintenance Policies                                 |
| ER 56-2-1           | Administrative Vehicle Management   |
| ER 700-1-1          | USACE Supply Policies and procedures  |
| ER 1125-2-301       | Plant Replacement and Improvement Program   |
| ER 1130-2-500       | Partners and Support (Work Management Policies)                                       |
| TB 43-0002(series)  | Maintenance Expenditure Limits  |
| TB 43-0142          | Safety Inspection and Testing of Lifting Devices                                      |
| TB 43-0144          | Painting of Watercraft  |
| TB 43-0151          | Inspection and Test of Air and Other Gas Compressors                                  |
| TB 43-180           | Calibrations and Repair Requirements for the Maintenance of Army Materiel             |
| TB 55-1900-201-45/1 | Guide to Army Watercraft Survey Inspections, Repair Procedures                        |
| TB 55-1900-205-24   | Watercraft Information and Reporting System (WIRS), Data                              |
| TM 38-600           | Administrative Use Vehicle Management   |

|                     |  |
|---------------------|--|
| TM 11-5810-310-23&P | Unit and Direct Support Maintenance Manual (including repair parts |
| TM 9-243            | Use and Care of Hand Tools   |
| TM 9-2610-200-24    | Repair of Pneumatic Tires and Inner Tubes                          |
| TM 9-2610-201-14    | Standards, Inspection and Classification of Tires                  |



## APPENDIX B GLOSSARY

### Section 1: Abbreviations

|        |   |
|--------|---|
| ABS    | American Bureau of Shipping                         |
| AFAR   | Army Federal Acquisition Regulation                 |
| AOAP   | Army Oil Analysis Program                           |
| BITE   | Built-In Test Equipment                             |
| CCI    | Controlled Cryptographic Items                      |
| CFR    | Codes of Federal Regulations                        |
| COMSEC | Communication Security                              |
| DA PAM | Department of the Army Pamphlet                     |
| DFAR   | Defense Federal Acquisition Regulation              |
| DOL    | Directorate Of Logistics                            |
| ECOD   | Estimated Cost Of Damages                           |
| EIR    | Equipment Improvement Recommendation                |
| FAR    | Federal Acquisition Regulation                      |
| FIRMR  | Federal Information Resources Management Regulation |
| FIPR   | Federal Information Processing Resources            |
| FWT    | Fair Wear and Tear                                  |
| GSA    | General Services Administration                     |
| GOCO   | Government Owned-Contractor Operated                |
| IAW    | In Accordance With                                  |
| MEL    | Maintenance Expenditure Limit                       |
| MHE    | Materiel Handling Equipment                         |
| MSC    | Major Subordinate Command                           |
| MWO    | Modification Work Order                             |
| OAP    | Oil Analysis Program                                |
| OCCM   | On-Condition Cyclic Maintenance                     |
| OCOC   | On-Condition Oil Change                             |
| OSHA   | Occupational Safety and Health Administration       |
| PM     | Preventive Maintenance                              |
| QDR    | Quality Deficiency Report                           |
| PMCS   | Preventive Maintenance Checks and Services          |
| SP     | Special Purpose                                     |
| TAMMS  | The Army Maintenance Management System              |
| TB     | Technical Bulletin                                  |
| TI     | Technical Inspection                                |

## CONSOLIDATED GLOSSARY

### Section 2: Terms

Assembly. A combination of components/modules and parts used as a portion of, and intended for, further installation in an equipment end item (for example, engine, transmission, electronic component).

Available Days. The days equipment is on hand in an organization and fully able to do its assigned mission.

Built in Test Equipment. Any identifiable, removable device which is part of equipment or components under test that is used for the express purpose of testing.

Calibration. Comparison of an instrument (measurement standard or item of test, measurement, and diagnostic equipment) of unverified accuracy with an instrument of known or greater accuracy to detect and correct any discrepancy in the accuracy of the unverified instrument.

Component/Module. A combination of parts mounted together in manufacture, which may be tested, replaced as a unit, or repaired (for example, starter, generator, fuel pump, and printed circuit boards). The term module is normally associated with equipment.

Contract Maintenance. Any material maintenance operation performed under contract by commercial organizations (including the original manufacture of material).

Controlled Exchange. Removal of serviceable parts, components and assemblies from unserviceable, but economically repairable equipment and their immediate reuse in restoring a like item of equipment to a mission capable condition.

Deferred Maintenance. Authorized delay of maintenance/repair of uncorrected faults.

Deficiency. A fault/shorting or problem that causes equipment to malfunction. A defect is a deficiency when it:

- a. Makes an item inoperable.
- b. Makes the equipment unsafe or endangers the operator or crew.
- c. Will damage the equipment if operation is continued.
- d. Makes equipment so inaccurate, it cannot do its mission.

Fully Mission Capable. Systems and equipment that are safe and have all mission-essential subsystems installed and operating as designed by applicable regulations. The terms ready/available and full mission capable refer to the same status: equipment is on hand and able to perform its missions.

Interservice Maintenance Support. Maintenance operations performed on a recurring or nonrecurring basis by the organic maintenance capability of one military service or element thereof in support of another military service or element thereof.

Maintainability. A characteristic of design and installation which inherently provides for the time to be retained in or restored to a specified condition within a given period of time, when maintenance is performed by prescribed procedures and resources.

Maintenance Capability. Availability of those resources, facilities, tools, TMDE, drawings, technical publications, trained maintenance personnel, engineering and management support, and repair parts required to perform maintenance operations.

Maintenance Coordinator. An individual responsible for the maintenance of specific items of equipment, and also may be responsible for issuing equipment for utilization purposes.

Maintenance Manager. An individual responsible for the conduct of maintenance at a particular location. Responsible for scheduled and unscheduled maintenance actions. Supervises maintenance coordinators in the execution of their duties.

Maintenance Officer. An individual responsible for the maintenance management program within a specified activity (i.e., division, district, laboratory, etc.).

Maintenance Operations. That function of material maintenance which encompasses the management and physical performance of those actions and tasks involved in servicing, repairing, inspecting, testing, overhauling, modifying, calibrating, etc., and the provision of technical assistance to equipment users.

Material Maintenance. The function of sustaining material in an operational status, restoring it to a serviceable condition, or updating and upgrading its functional usefulness through modification or other modification.

Non-Operational. An item of equipment having faults that affect operation or may cause further damage to the equipment or endanger the safety of the operator or passengers.

Oil Analysis. A test or series of tests that provide an indication of equipment component and oil

condition by applying methods of quantitative measurement of wear metals and detection of contaminants in an oil sample.

On-Condition Oil Change. An oil change directed by an oil analysis laboratory as a result of findings relative to the condition of the oil and its lubricating capability.

Part. An item which can not normally be disassembled or repaired or is of such design that disassembly is impractical.

Personal Property. Property of any kind except real property and records of the Federal Government.

Preventive Maintenance. All actions performed in an attempt to retain an item in a specified condition by providing systematic inspections, detection, and prevention of incipient failures.

Preventive Maintenance Checks and Services. The care, servicing, inspection, detection, and correction of minor faults before these faults cause serious damage, failure or injury.

Rebuild. To restore an item to a standard as nearly as possible to original or new condition in appearance, performance, and life expectancy.

Repair. The restoration or replacement of parts and/or units to maintain efficient operating conditions.

Scheduled Maintenance. Any type of maintenance that is performed as the result of a planning action.

Shortcoming. A fault that requires maintenance or supply action on a piece of equipment but does not render it not mission capable.

System. A combination of equipment end items, assemblies, major components, components, and parts assembled as a single functional unit to perform a task or mission.

Test, Measurement, and Diagnostic Equipment. Any system or device capable of being used to evaluate the operational condition of a system or equipment to identify and/or isolate any actual or potential malfunction.

Unscheduled Maintenance. Unexpected maintenance which is required because of either equipment or component failure.

Watercraft. Costal, harbor, and inland waterway craft; landing craft; amphibians; lighters; barges;



ocean going vessels (self- propelled or towed, tugged, or pushed).

Work Day. Normal duty shift as defined by local commander.



## APPENDIX C

### MATERIEL MAINTENANCE

#### MANAGEMENT BUSINESS PROCESS

##### 1. Determine Equipment Requirement.

###### a. New

- (1) Require justification
- (2) Obtain authorization
- (3) Obtain funding

###### b. Replacement

- (1) Verify replacement criteria
- (2) Obtain funding

##### 2. Determine Acquisition Alternatives

- a. Defense Reutilization and Marketing Offices (DRMO)
- b. Borrow
- c. Rent
- d. Lease
- e. Purchase

##### 3. Acquisition of Equipment

- a. Lateral transfer from another USACE activity
- b. Government first source of supply (utilize Defense Supply Center Columbus as a prime source of construction, material handling equipment and repair parts support when it is advantageous)
- c. Commercial vendor
- d. Prepare requisition document

##### 4. Maintenance Management Program in Place

- a. Maintenance Officer appointed to lead maintenance effort giving focus and direction to the Materiel Maintenance program.
- b. Policy and procedures in place
- c. Appoint maintenance managers
- d. Appoint maintenance coordinators

- e. Develop comprehensive maintenance plan
- f. Equipment management procedures in place
  - (1) Maintain equipment utilization data
  - (2) Document maintenance cost (parts & labor)
  - (3) Maintain equipment availability data (operational rates)
- g. Safe use of cranes, crane shovels, draglines and similar equipment near electric power lines.
- h. Safety inspection and testing of lifting devices, (TB 43-0142)
- i. Inspection and test of air and other gas compressors (TB 43-0151)
- j. Equipment enrolled in Army Test Measurement and Diagnostic Equipment (TMDE) (AR 750-43, TB 750-25, TB 43-180) (FREE)
- k. Equipment components enrolled in Army Oil Analysis Program (AOAP), DA PAM 738-750, ER 750-1-1, EP 750-1-1) (FREE)
- l. Government Owned Contractor Operated (GOCO) equipment requiring maintenance actions will be maintained in accordance with ER 750-1-1 & EP 750-1-1.

#### 5. Receive Equipment

- a. In process equipment (service)
- b. Assign equipment to maintenance coordinator
- c. Add publications to library

#### 6. Determine Maintenance Requirements

- a. Preventive Maintenance Checks and Services (PMCS) Daily
- b. Preventive Maintenance (PM) schedule services
- c. Predictive maintenance schedule service
- d. Test required

#### 7. Schedule Preventive Maintenance Services

- a. Schedule services on DD Form 314
- b. Army Oil Analysis Program DD Form 314
- c. Schedule other test as required on DD Form 314

#### 8. Place Equipment in Service

- a. Prepare equipment record folder
- b. Prepare operational records
- c. Prepare maintenance records
- d. Prepare equipment record jacket, for historical records

9. Dispatch and Record Equipment Utilization

- a. Maintain organizational control record for equipment (DA Form 2401)
- b. Monthly submission of ENG Form 3662 to record utilization
- c. Document fuel and oil consumption
- d. Provide equipment utilization report (for management use)

10. Perform Schedule Maintenance Services

- a. Document scheduled maintenance service (PM) on DD Form 314
- b. Schedule next service on DD Form 314
- c. Document test results on DD Form 314
- d. Schedule next test

11. Repair Management

- a. Determine from previous utilization if repair, overhaul, or replacement is justified
- b. One time repair in excess of 30% of acquisition cost requires approval from the chief of logistics
- c. Consider overhaul or rebuild if in the best interest of USACE
- d. Document equipment repair cost, parts and labor (ENG Form 2409)
- e. Document equipment non-operational days on DD Form 314
- f. Place all historical records in record jacket

12. Disposal

- a. Identify equipment eligible for disposal
- b. Determine if equipment is to be replaced or is excess to district needs
- c. Circulate serviceable equipment excess to district needs
- d. Prepare documentation for disposal
- e. Remove equipment from property book



## APPENDIX D

### OIL ANALYSIS REQUIREMENTS LIST

1. All items listed in DA PAM 738-750/EP 750-1-1 for the Army Oil Analysis Program (AOAP).
2. Wheeled Vehicles. All wheeled vehicles powered by a diesel engine having an engine oil capacity of five gallons or greater. All automatic transmission of that vehicle. Hydraulic systems of the vehicle with a capacity of five gallons or greater, excluding brakes (i.e., dump truck hydraulics, lift ramps, etc.).
3. Watercraft. All watercraft that the main engine(s) is diesel and has an engine oil capacity of five gallons or greater. All additional diesel engines with oil capacities of five gallons or greater (i.e., cranes, winches, generators, etc.). All hydraulic systems with a capacity of five gallons or greater. Other items determined necessary by local policy.
4. Construction Equipment. All equipment with diesel engines having an engine oil capacity of five gallons or greater. All automatic transmissions of the end item. All additional engines with engine oil capacities of five gallons or greater. All hydraulic systems with a capacity of five gallons or greater, excluding brakes.
5. Special Purpose Equipment. All items with diesel engines having an engine oil capacity of five gallons or greater. All automatic transmissions. All hydraulic systems with a capacity of five gallons or greater, excluding brakes.
6. Materiel Handling Equipment. All equipment with diesel engines having an engine oil capacity of five gallons or greater. All automatic transmissions. All hydraulic systems with a capacity of five gallons or greater, excluding brakes.